

VOXZOGO[™]
(vosoritide) for injection



Annika, 14 years old,
living with achondroplasia,
receiving VOXZOGO as
part of a clinical trial

STARTING VOXZOGO

What is VOXZOGO used for?

- VOXZOGO is a prescription medicine used to increase linear growth in children with achondroplasia who are 5 years of age and older with open growth plates (epiphyses).
- It is not known if VOXZOGO is safe and effective in children with achondroplasia under 5 years of age.
- VOXZOGO is approved under accelerated approval based on an improvement in annualized growth velocity. Continued approval may be contingent upon verification and description of clinical benefit in confirmatory trials.

IMPORTANT SAFETY INFORMATION

What is the most important safety information about VOXZOGO?

- VOXZOGO may cause serious side effects including a temporary decrease in blood pressure in some patients. To reduce the risk of a decrease in blood pressure and associated symptoms (dizziness, feeling tired, or nausea), patients should eat a meal and drink 8 to 10 ounces of fluid within 1 hour before receiving VOXZOGO.

Please see Important Safety Information throughout as well as the full Prescribing Information and Patient Information.

Follow these steps to work with your child's doctor and BioMarin to get started with VOXZOGO.

STEP 1

Discuss VOXZOGO™ (vosoritide) with your child's doctor

A BioMarin representative can provide additional one-to-one support and education about VOXZOGO and how to get started. Request to be contacted by a BioMarin representative at [VOXZOGO.com](https://www.voxzogo.com).

STEP 2

A BioMarin Clinical Coordinator will contact you

Once you receive a prescription and are enrolled in BioMarin RareConnections™, a Clinical Coordinator will reach out to discuss your insurance coverage and financial options for gaining access to VOXZOGO.

STEP 3

VOXZOGO will be mailed to you

Your Clinical Coordinator will coordinate with a specialty pharmacy to ship a supply of VOXZOGO to your home. Do not start administering injections until you receive training from a healthcare provider.

STEP 4

Visit your child's healthcare provider for training

A healthcare provider will train you on how to give your child VOXZOGO before you use it at home for the first time, showing you proper techniques and guiding you through the steps.

STEP 5

A BioMarin Clinical Coordinator will follow up

Clinical Coordinators are available for virtual and home visits, follow-up education, and injection training reinforcement. Ask your child's doctor about getting one-to-one support from a Clinical Coordinator.

VOXZOGO™
(vosoritide) for injection

What are the most common side effects of VOXZOGO?

- The most common side effects of VOXZOGO include injection site reactions (including redness, itching, swelling, bruising, rash, hives, and injection site pain), vomiting, joint pain, decreased blood pressure, and stomach ache. These are not all the possible side effects of VOXZOGO. Ask your healthcare provider for medical advice about side effects and about any side effects that bother the patient or that do not go away.

Please see Important Safety Information throughout as well as the full [Prescribing Information](#) and [Patient Information](#).

Still considering whether you and your child are ready for VOXZOGO?

Schedule an appointment with your doctor, bring these questions, and prepare to discuss VOXZOGO!

► **About your child**


- Is my child eligible to receive VOXZOGO?
- When will my child's growth plates close?
- For how long will my child need to take VOXZOGO?

► **About VOXZOGO**

- How does VOXZOGO work?
- Does VOXZOGO change my child's bones, growth plates, FGFR3 signaling, or genes?
- What should I know about the safety of VOXZOGO?
- How will I know if VOXZOGO is working?
- Does VOXZOGO interact with any other medications?

► **About administering VOXZOGO at home**

- How will I be trained to administer VOXZOGO?
- What can I do to help my child make the injections part of their daily routine?
- What if I need help while giving injections at home?
- What resources are there to help my family?



Scan the QR code to bring these questions with you to your next appointment



How is VOXZOGO taken?

- VOXZOGO is taken daily as an injection given under the skin, administered by a caregiver after a healthcare provider determines the caregiver is able to administer VOXZOGO. Do not try to inject VOXZOGO until you have been shown the right way by your healthcare provider. VOXZOGO is supplied with Instructions for Use that describe the steps for preparing, injecting, and disposing VOXZOGO. Caregivers should review the Instructions for Use for guidance and any time they receive a refill of VOXZOGO in case any changes have been made. VOXZOGO. Caregivers should review the Instructions for Use for guidance and any time they receive a refill of VOXZOGO in case any changes have been made.

Please see Important Safety Information throughout as well as the full Prescribing Information and Patient Information.

VOXZOGO™
(vosoritide) for injection

Important Safety Information

What is VOXZOGO used for?

- VOXZOGO is a prescription medicine used to increase linear growth in children with achondroplasia who are 5 years of age and older with open growth plates (epiphyses).
- It is not known if VOXZOGO is safe and effective in children with achondroplasia under 5 years of age.
- VOXZOGO is approved under accelerated approval based on an improvement in annualized growth velocity. Continued approval may be contingent upon verification and description of clinical benefit in confirmatory trials.

What is the most important safety information about VOXZOGO?

- VOXZOGO may cause serious side effects including a temporary decrease in blood pressure in some patients. To reduce the risk of a decrease in blood pressure and associated symptoms (dizziness, feeling tired, or nausea), patients should eat a meal and drink 8 to 10 ounces of fluid within 1 hour before receiving VOXZOGO.

What are the most common side effects of VOXZOGO?

- The most common side effects of VOXZOGO include injection site reactions (including redness, itching, swelling, bruising, rash, hives, and injection site pain), vomiting, joint pain, decreased blood pressure, and stomach ache. These are not all the possible side effects of VOXZOGO. Ask your healthcare provider for medical advice about side effects, and about any side effects that bother the patient or that do not go away.

How is VOXZOGO taken?

- VOXZOGO is taken daily as an injection given under the skin, administered by a caregiver after a healthcare provider determines the caregiver is able to administer VOXZOGO. Do not try to inject VOXZOGO until you have been shown the right way by your healthcare provider. VOXZOGO is supplied with Instructions for Use that describe the steps for preparing, injecting, and disposing VOXZOGO. Caregivers should review the Instructions for Use for guidance and any time they receive a refill of VOXZOGO in case any changes have been made.
- Inject VOXZOGO 1 time every day, at about the same time each day. If a dose of VOXZOGO is missed, it can be given within 12 hours from the missed dose. After 12 hours, skip the missed dose and administer the next daily dose as usual.
- The dose of VOXZOGO is based on body weight. Your healthcare provider will adjust the dose based on changes in weight following regular check-ups.
- Your healthcare provider will monitor the patient's growth and tell you when to stop taking VOXZOGO if they determine the patient is no longer able to grow. Stop administering VOXZOGO if instructed by your healthcare provider.

What should you tell the doctor before or during taking VOXZOGO?

- Tell your doctor about all of the patient's medical conditions including
 - If the patient has heart disease (cardiac or vascular disease), or if the patient is on blood pressure medicine (anti-hypertensive medicine).
 - If the patient has kidney problems or renal impairment.
 - If the patient is pregnant or plans to become pregnant. It is not known if VOXZOGO will harm the unborn baby.
 - If the patient is breastfeeding or plans to breastfeed. It is not known if VOXZOGO passes into breast milk.
- Tell your doctor about all of the medicines the patient takes, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

You may report side effects to BioMarin at **1-866-906-6100**. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call **1-800-FDA-1088**.

Please see additional safety information in the full [Prescribing Information](#) and [Patient Information](#).